Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	245	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 12:49
S4	11361	(graphical\$4 or icon\$4 or visual\$4) near2 program\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:38
S5	102451	(automatically or automatic\$1) near4 (creat\$5 or generat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:26
S6	313	S4 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 12:51
S7	3831	"first program" with "second program"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:35
S8	18	S6 same S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 12:52
S9	1791	(creat\$5 generat\$5) with (graphical\$3 icon\$3 visual\$3) near2 program\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:12
S10	15	S7 with S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/04/21 13:01

		T			1	
S11	22	S7 same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:01
S12	7	S11 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:05
S13	7412	("without" "with out" "with-out") with (user\$1 near2 input\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:20
S14	. 16	S9 with S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/04/21 13:16
S15	16	S9 same node\$1 same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/04/21 13:21
S16	4	S15 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:21
S17	26677	(creat\$5 generat\$5) near2 node\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:22
S18	131	S17 with S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:23

	T		Ţ	1	T	
S19	1	S18 same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:24
520	5268	("API" APIs "application program interface" "application program interfaces") with client\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:26
S21	. 22	S20 with S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:26
S22	30	S9 with ("server program" "server programs")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:31
S23	8	S22 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:32
S24	159450	node\$1 with (connect\$3 interconnect\$3 wir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/04/21 13:34
S25	280	((graphical\$3 icon\$3 visual\$3) near2 program\$1) with S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:34
S26	.11	S13 same S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:35

					1	
S27	123	S7 with (automatic\$5 programmatic\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:36
S28	1	S27 same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:37
S29	464	(715/762).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:37
S30	. 18	S29 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:37
S31	17594 ·	((graphical\$4 or icon\$4 or visual\$4) and program\$1).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:39
S32	47	S29 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 13:40
S33	168	(715/967).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR -	OFF	2006/04/21 13:40
S34	158	S33 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:06

S35	7954	((715/771) or (715/966) or (715/749) or (717/115) or (717/109) or (717/108) or (717/110) or (717/111) or (717/113) or (709/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:09
S36	54	S7 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:10
S37	. 0	(((creat\$5 generat\$5) and (graphical\$3 icon\$3 visual\$3) near2 program\$1) and node\$1 and (connect\$3 interconnect\$3 wir\$3) and (automatic\$3) and ((without "with out" "with-out") near3 ("user input"))). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:18
S38	. 0	(((creat\$5 generat\$5) and (graphical\$3 icon\$3 visual\$3) near2 program\$1) and node\$1 and (propert\$3) and (automatic\$3) and ((without "with out" "with-out") near3 ("user input"))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/04/21 14:19
S39	0	(((creat\$5 generat\$5) and (graphical\$3 icon\$3 visual\$3) near2 program\$1) and node\$1 and (propert\$3) and (automatic\$3) and ((without "with out" "with-out"))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:19
S40	1	(((creat\$5 generat\$5) and (graphical\$3 icon\$3 visual\$3) near2 program\$1) and node\$1 and (propert\$3) and (automatic\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/21 14:19